

The operating systems listed below have been certified by Barracuda Networks to be compatible with Yosemite Server Backup. Yosemite Server Backup is designed using standard operating system facilities and has been observed to be compatible with a number of a much more comprehensive list of Operating Systems than have been officially certified. If your operating system distribution or version is not listed here, we recommend that you use our FREE evaluation to test Yosemite Server Backup in your environment.

### Version 10.3

#### System Requirements

- 512 MB RAM required (1024 MB RAM recommended) above operating system and application requirements
- 400 MB hard disk space required (typical installation)
- Internet Explorer 6 or higher required for all Windows installations
- At least 20GB hard disk space recommended on the machine that will serve as the Yosemite Server Backup master server for the Yosemite Server Backup Catalog.

Supports all major storage hardware technologies and requires at least one storage media drive and/or library and the appropriate controller card.

WINDOWS			
Version	Edition	Proc	Service Pack
Server 2012	Standard	x86_64	R2
Server 2012	Datacenter	x86_64	R2
Server 2012	Essentials	x86_64	R2
Windows 8	Enterprise	x86, x86_64	1
Windows 8	Pro	x86, x86_64	1
SBS 2011	Small Business Server	x86_64	
Windows 7	Home Premium	x86, x86_64	1
Windows 7	Professional	x86, x86_64	1
Windows 7	Ultimate	x86, x86_64	1
Server 2008	Foundation	x86, x86_64	2, R2 SP1
Server 2008	Standard	x86, x86_64	2, R2 SP1
Server 2008	Enterprise	x86, x86_64	2, R2 SP1
Server 2008	Datacenter	x86, x86_64	2, R2 SP1
Server 2008	Web	x86, x86_64	2, R2 SP1
Server 2008	Storage Server	x86, x86_64	2, R2 SP1
Server 2008	SBS	x86_64	2, R2 SP1
Server 2008	EBS	x86_64	2, R2 SP1
Vista *	Basic	x86, x86_64	1, 2
Vista *	Home Premium	x86, x86_64	1, 2
Vista *	Business	x86, x86_64	1, 2
Vista *	Ultimate	x86, x86_64	1, 2
Vista *	Enterprise	x86, x86_64	1, 2
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86, x86_64	2, 3
* Service Pack 0 - No Disaster Recovery			
** No Disaster Recovery			

LINUX			
Version	Edition	Proc	Service Pack
RHEL 6		x86, x86_64	1, 2, 3, 4
RHEL 5		x86, x86_64	1, 2, 3, 4, 5, 6, 7, 8, 9
RHEL 4	AS, ES, WS	x86, x86_64	5, 6, 7, 8, 9
SLES 11		x86, x86_64	1, 2, 3
SLES 10		x86, x86_64	1, 2, 3
Ubuntu 13	Desktop and Server Edition	x86, x86_64	04
Ubuntu 12	Desktop and Server Edition	x86, x86_64	04**, 10**
Ubuntu 11	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 10	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 9	Desktop and Server Edition	x86, x86_64	04, 10
* Except Media Servers for tape, optical devices, and loaders only in case of release kernel.			
** Bare Metal Disaster Recovery (BMDR) is not supported with 3.5.x kernels.			

APPLICATION SUPPORT			
Application	Edition	Proc	Service Pack
SBS	2011		
Exchange	2013		
Exchange	2010		1, 2
Exchange	2007		1, 2, 3
Exchange	2003		2
SQL	2014		
SQL	2012		SP1
SQL	2008		R2
SQL	2005		1, 2, 3, 4
Sharepoint	2010		
Sharepoint	2013		
VMware ESX	4.0		
VMware ESX	4.1		
VMware ESX	5.0		
VMware ESX	5.1		

The operating systems listed below have been certified by Barracuda Networks to be compatible with Yosemite Server Backup. Yosemite Server Backup is designed using standard operating system facilities and has been observed to be compatible with a number of a much more comprehensive list of Operating Systems than have been officially certified. If your operating system distribution or version is not listed here, we recommend that you use our FREE evaluation to test Yosemite Server Backup in your environment.

### Version 10.2

#### System Requirements

- 512 MB RAM required (1024 MB RAM recommended) above operating system and application requirements
- 400 MB hard disk space required (typical installation)
- Internet Explorer 6 or higher required for all Windows installations
- At least 20GB hard disk space recommended on the machine that will serve as the Yosemite Server Backup master server for the Yosemite Server Backup Catalog.

Supports all major storage hardware technologies and requires at least one storage media drive and/or library and the appropriate controller card.

WINDOWS			
Version	Edition	Proc	Service Pack
Server 2012	Standard	x86_64	
Server 2012	Datacenter	x86_64	
Server 2012	Essentials	x86_64	
Windows 8	Enterprise	x86, x86_64	
Windows 8	Pro	x86, x86_64	
SBS 2011	Small Business Server	x86_64	
Windows 7	Home Premium	x86, x86_64	1
Windows 7	Professional	x86, x86_64	1
Windows 7	Ultimate	x86, x86_64	1
Server 2008	Foundation	x86, x86_64	2, R2 SP1
Server 2008	Standard	x86, x86_64	2, R2 SP1
Server 2008	Enterprise	x86, x86_64	2, R2 SP1
Server 2008	Datacenter	x86, x86_64	2, R2 SP1
Server 2008	Web	x86, x86_64	2, R2 SP1
Server 2008	Storage Server	x86, x86_64	2, R2 SP1
Server 2008	SBS	x86_64	2, R2 SP1
Server 2008	EBS	x86_64	2, R2 SP1
Vista *	Basic	x86, x86_64	1, 2
Vista *	Home Premium	x86, x86_64	1, 2
Vista *	Business	x86, x86_64	1, 2
Vista *	Ultimate	x86, x86_64	1, 2
Vista *	Enterprise	x86, x86_64	1, 2
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86, x86_64	2, 3
* Service Pack 0 - No Disaster Recovery			
** No Disaster Recovery			

LINUX			
Version	Edition	Proc	Service Pack
RHEL 6		x86, x86_64	1, 2, 3
RHEL 5		x86, x86_64	1, 2, 3, 4, 5, 6, 7, 8, 9
RHEL 4	AS, ES, WS	x86, x86_64	5, 6, 7, 8
SLES 11		x86, x86_64	1, 2
SLES 10		x86, x86_64	1, 2, 3
Ubuntu 13	Desktop and Server Edition	x86, x86_64	04
Ubuntu 12	Desktop and Server Edition	x86, x86_64	04**, 10**
Ubuntu 11	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 10	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 9	Desktop and Server Edition	x86, x86_64	04, 10
* Except Media Servers for tape, optical devices, and loaders only in case of release kernel.			
** Bare Metal Disaster Recovery (BMDR) is not supported with 3.5.x kernels.			

APPLICATION SUPPORT			
Version	Edition	Proc	Service Pack
SBS	2011		
Exchange	2013		
Exchange	2010		1, 2
Exchange	2007		1, 2, 3
Exchange	2003		2
SQL	2012		SP1
SQL	2008		R2
SQL	2005		1, 2, 3, 4
Sharepoint	2010		
Sharepoint	2013		
VMware ESX	4.0		
VMware ESX	4.1		
VMware ESX	5.0		
VMware ESX	5.1		

The operating systems listed below have been certified by Barracuda Networks to be compatible with Yosemite Server Backup. Yosemite Server Backup is designed using standard operating system facilities and has been observed to be compatible with a number of a much more comprehensive list of Operating Systems than have been officially certified. If your operating system distribution or version is not listed here, we recommend that you use our FREE evaluation to test Yosemite Server Backup in your environment.

### Version 10.1

#### System Requirements

- 512 MB RAM required (1024 MB RAM recommended) above operating system and application requirements
- 400 MB hard disk space required (typical installation)
- Internet Explorer 6 or higher required for all Windows installations
- At least 20GB hard disk space recommended on the machine that will serve as the Yosemite Server Backup master server for the Yosemite Server Backup Catalog.

Supports all major storage hardware technologies and requires at least one storage media drive and/or library and the appropriate controller card.

WINDOWS			
Version	Edition	Proc	Service Pack
Server 2012**	Standard	x86_64	
Server 2012**	Datacenter	x86_64	
Server 2012**	Essentials	x86_64	
Windows 8**	Enterprise	x86, x86_64	
Windows 8**	Pro	x86, x86_64	
SBS 2011	Small Business Server	x86_64	
Windows 7	Home Premium	x86, x86_64	1
Windows 7	Professional	x86, x86_64	1
Windows 7	Ultimate	x86, x86_64	1
Server 2008	Foundation	x86, x86_64	2, R2 SP1
Server 2008	Standard	x86, x86_64	2, R2 SP1
Server 2008	Enterprise	x86, x86_64	2, R2 SP1
Server 2008	Datacenter	x86, x86_64	2, R2 SP1
Server 2008	Web	x86, x86_64	2, R2 SP1
Server 2008	Storage Server	x86, x86_64	2, R2 SP1
Server 2008	SBS	x86_64	2, R2 SP1
Server 2008	EBS	x86_64	2, R2 SP1
Vista *	Basic	x86, x86_64	1, 2
Vista *	Home Premium	x86, x86_64	1, 2
Vista *	Business	x86, x86_64	1, 2
Vista *	Ultimate	x86, x86_64	1, 2
Vista *	Enterprise	x86, x86_64	1, 2
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86, x86_64	2, 3

\* Service Pack 0 - No Disaster Recovery  
 \*\* No Disaster Recovery

LINUX			
Version	Edition	Proc	Service Pack
RHEL 6		x86, x86_64	1, 2, 3
RHEL 5		x86, x86_64	1, 2, 3, 4, 5, 6, 7, 8
RHEL 4	AS, ES, WS	x86, x86_64	5, 6, 7, 8
SLES 11		x86, x86_64	1, 2
SLES 10		x86, x86_64	1, 2, 3
Ubuntu 12	Desktop and Server Edition	x86, x86_64	04
Ubuntu 11	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 10	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 9	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 9	Desktop and Server Edition	x86, x86_64	04, 10

\* Except Media Servers for tape, optical devices, and loaders only in case of release kernel.

APPLICATION SUPPORT			
Application	Edition	Proc	Service Pack
SBS	2011		
Exchange	2013		
Exchange	2010		1, 2
Exchange	2007		1, 2, 3
Exchange	2003		2
SQL	2012		SP1
SQL	2008		R2
SQL	2005		1, 2, 3, 4
Sharepoint	2010		

The operating systems listed below have been certified by Barracuda Networks to be compatible with Yosemite Server Backup. Yosemite Server Backup is designed using standard operating system facilities and has been observed to be compatible with a number of a much more comprehensive list of Operating Systems than have been officially certified. If your operating system distribution or version is not listed here, we recommend that you use our FREE evaluation to test Yosemite Server Backup in your environment.

### Version 10.0

#### System Requirements

- 512 MB RAM required (1024 MB RAM recommended) above operating system and application requirements
- 400 MB hard disk space required (typical installation)
- Internet Explorer 6 or higher required for all Windows installations
- At least 20GB hard disk space recommended on the machine that will serve as the Yosemite Server Backup master server for the Yosemite Server Backup Catalog.

Supports all major storage hardware technologies and requires at least one storage media drive and/or library and the appropriate controller card.

WINDOWS			
Version	Edition	Proc	Service Pack
Server 2012**	Standard	x86_64	
Server 2012**	Datacenter	x86_64	
Server 2012**	Essentials	x86_64	
Windows 8**	Enterprise	x86, x86_64	
Windows 8**	Pro	x86, x86_64	
SBS 2011	Small Business Server	x86_64	
Windows 7	Home Premium	x86, x86_64	1
Windows 7	Professional	x86, x86_64	1
Windows 7	Ultimate	x86, x86_64	1
Server 2008	Foundation	x86, x86_64	2, R2 SP1
Server 2008	Standard	x86, x86_64	2, R2 SP1
Server 2008	Enterprise	x86, x86_64	2, R2 SP1
Server 2008	Datacenter	x86, x86_64	2, R2 SP1
Server 2008	Web	x86, x86_64	2, R2 SP1
Server 2008	Storage Server	x86, x86_64	2, R2 SP1
Server 2008	SBS	x86_64	2, R2 SP1
Server 2008	EBS	x86_64	2, R2 SP1
Vista *	Basic	x86, x86_64	1, 2
Vista *	Home Premium	x86, x86_64	1, 2
Vista *	Business	x86, x86_64	1, 2
Vista *	Ultimate	x86, x86_64	1, 2
Vista *	Enterprise	x86, x86_64	1, 2
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86, x86_64	2, 3

\* Service Pack 0 - No Disaster Recovery  
 \*\* No Disaster Recovery

LINUX			
Version	Edition	Proc	Service Pack
RHEL 6		x86, x86_64	1, 2, 3
RHEL 5		x86, x86_64	1, 2, 3, 4, 5, 6, 7, 8
RHEL 4	AS, ES, WS	x86, x86_64	5, 6, 7, 8
SLES 11		x86, x86_64	1, 2
SLES 10		x86, x86_64	1, 2, 3
Ubuntu 12	Desktop and Server Edition	x86, x86_64	04
Ubuntu 11	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 10	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 9	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 9	Desktop and Server Edition	x86, x86_64	04, 10

\* Except Media Servers for tape, optical devices, and loaders only in case of release kernel.  
 \*\* Bare Metal Disaster Recovery (BMDR) is not supported with 3.5.x kernels.

APPLICATION SUPPORT			
Application	Edition	Proc	Service Pack
SBS	2011		
Exchange	2010		1, 2
Exchange	2007		1, 2, 3
Exchange	2003		2
SQL	2012		
SQL	2008		R2
SQL	2005		1, 2, 3, 4
Sharepoint	2010		

The operating systems listed below have been certified by Barracuda Networks to be compatible with Yosemite Server Backup. Yosemite Server Backup is designed using standard operating system facilities and has been observed to be compatible with a number of a much more comprehensive list of Operating Systems than have been officially certified. If your operating system distribution or version is not listed here, we recommend that you use our FREE evaluation to test Yosemite Server Backup in your environment.

### Version 9.1

#### System Requirements

- 512 MB RAM required (1024 MB RAM recommended) above operating system and application requirements
- 400 MB hard disk space required (typical installation)
- Internet Explorer 6 or higher required for all Windows installations
- At least 20GB hard disk space recommended on the machine that will serve as the Yosemite Server Backup master server for the Yosemite Server Backup Catalog.

Supports all major storage hardware technologies and requires at least one storage media drive and/or library and the appropriate controller card.

WINDOWS			
Version	Edition	Proc	Service Pack
SBS 2011	Small Business Server	x86_64	0
Windows 7	Home Premium	x86, x86_64	1
Windows 7	Professional	x86, x86_64	1
Windows 7	Ultimate	x86, x86_64	1
Server 2008	Foundation	x86, x86_64	2, R2 SP1
Server 2008	Standard	x86, x86_64	2, R2 SP1
Server 2008	Enterprise	x86, x86_64	2, R2 SP1
Server 2008	Datacenter	x86, x86_64	2, R2 SP1
Server 2008	Web	x86, x86_64	2, R2 SP1
Server 2008	Storage Server	x86, x86_64	2, R2 SP1
Server 2008	SBS	x86_64	2, R2 SP1
Server 2008	EBS	x86_64	2, R2 SP1
Vista *	Basic	x86, x86_64	1, 2
Vista *	Home Premium	x86, x86_64	1, 2
Vista *	Business	x86, x86_64	1, 2
Vista *	Ultimate	x86, x86_64	1, 2
Vista *	Enterprise	x86, x86_64	1, 2
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86, x86_64	2, 3
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86, x86_64	2, 3

\* Service Pack 0 - No Disaster Recovery

LINUX			
Version	Edition	Proc	Service Pack
RHEL 6		x86, x86_64	1, 2, 3
RHEL 5		x86, x86_64	1, 2, 3, 4, 5, 6, 7, 8
RHEL 4	AS, ES, WS	x86, x86_64	5, 6, 7, 8
SLES 11		x86, x86_64	1, 2
SLES 10		x86, x86_64	1, 2, 3
Ubuntu 12	Desktop and Server Edition	x86, x86_64	04
Ubuntu 11	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 10	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 9	Desktop and Server Edition	x86, x86_64	04, 10

\* Except Media Servers for tape, optical devices, and loaders only in case of release kernel.

APPLICATION SUPPORT			
Application	Edition	Proc	Service Pack
SBS	2011		
Exchange	2010		1, 2
Exchange	2007		1, 2, 3
Exchange	2003		2
SQL	2012		
SQL	2008		R2
SQL	2005		1, 2, 3, 4
Sharepoint	2010		

The operating systems listed below have been certified by Barracuda Networks to be compatible with Yosemite Server Backup. Yosemite Server Backup is designed using standard operating system facilities and has been observed to be compatible with a number of a much more comprehensive list of Operating Systems than have been officially certified. If your operating system distribution or version is not listed here, we recommend that you use our FREE evaluation to test Yosemite Server Backup in your environment.

### Version 9.0

#### System Requirements

- 512 MB RAM required (1024 MB RAM recommended) above operating system and application requirements
- 400 MB hard disk space required (typical installation)
- Internet Explorer 6 or higher required for all Windows installations
- At least 20GB hard disk space recommended on the machine that will serve as the Yosemite Server Backup master server for the Yosemite Server Backup Catalog.

Supports all major storage hardware technologies and requires at least one storage media drive and/or library and the appropriate controller card.

WINDOWS			
Version	Edition	Proc	Service Pack
SBS 2011	Small Business Server	x86_64	0
Windows 7	Home Premium	x86, x86_64	1
Windows 7	Professional	x86, x86_64	1
Windows 7	Ultimate	x86, x86_64	1
Server 2008	Foundation	x86, x86_64	2, R2 SP1
Server 2008	Standard	x86, x86_64	2, R2 SP1
Server 2008	Enterprise	x86, x86_64	2, R2 SP1
Server 2008	Datacenter	x86, x86_64	2, R2 SP1
Server 2008	Web	x86, x86_64	2, R2 SP1
Server 2008	Storage Server	x86, x86_64	2, R2 SP1
Server 2008	SBS	x86_64	2, R2 SP1
Server 2008	EBS	x86_64	2, R2 SP1
Vista *	Basic	x86, x86_64	1, 2
Vista *	Home Premium	x86, x86_64	1, 2
Vista *	Business	x86, x86_64	1, 2
Vista *	Ultimate	x86, x86_64	1, 2
Vista *	Enterprise	x86, x86_64	1, 2
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86, x86_64	2, 3
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86, x86_64	2, 3

\* Service Pack 0 - No Disaster Recovery

LINUX			
Version	Edition	Proc	Service Pack
RHEL 6		x86, x86_64	1
RHEL 5		x86, x86_64	1, 2, 3, 4, 5, 6
RHEL 4	AS, ES, WS	x86, x86_64	5, 6, 7, 8
SLES 11		x86, x86_64	1
SLES 10		x86, x86_64	1, 2, 3
Ubuntu 11	Desktop and Server Edition	x86, x86_64	04
Ubuntu 10	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 9	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 9	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 9	Desktop and Server Edition	x86, x86_64	04, 10

\* Except Media Servers for tape, optical devices, and loaders only in case of release kernel.

APPLICATION SUPPORT			
Version	Edition	Proc	Service Pack
SBS	2011		
Exchange	2010		1
Exchange	2007		1, 2, 3
Exchange	2003		2
SQL	2008		R2
SQL	2005		1, 2, 3, 4
Sharepoint	2010		

The operating systems listed below have been certified by Barracuda Networks to be compatible with Yosemite Server Backup. Yosemite Server Backup is designed using standard operating system facilities and has been observed to be compatible with a number of a much more comprehensive list of Operating Systems than have been officially certified. If your operating system distribution or version is not listed here, we recommend that you use our FREE evaluation to test Yosemite Server Backup in your environment.

### Version 8.9

#### System Requirements

- 512 MB RAM required (1024 MB RAM recommended) above operating system and application requirements
- 400 MB hard disk space required (typical installation)
- Internet Explorer 6 or higher required for all Windows installations
- At least 20GB hard disk space recommended on the machine that will serve as the Yosemite Server Backup master server for the Yosemite Server Backup Catalog.

Supports all major storage hardware technologies and requires at least one storage media drive and/or library and the appropriate controller card.

WINDOWS			
Version	Edition	Proc	Service Pack
Windows 7	Home Premium	x86, x86_64	1
Windows 7	Professional	x86, x86_64	1
Windows 7	Ultimate	x86, x86_64	1
Server 2008	Foundation	x86, x86_64	2, R2 SP1
Server 2008	Standard	x86, x86_64	2, R2 SP1
Server 2008	Enterprise	x86, x86_64	2, R2 SP1
Server 2008	Datacenter	x86, x86_64	2, R2 SP1
Server 2008	Web	x86, x86_64	2, R2 SP1
Server 2008	Storage Server	x86, x86_64	2, R2 SP1
Server 2008	SBS	x86_64	2, R2 SP1
Server 2008	EBS	x86_64	2, R2 SP1
Vista *	Basic	x86, x86_64	1, 2
Vista *	Home Premium	x86, x86_64	1, 2
Vista *	Business	x86, x86_64	1, 2
Vista *	Ultimate	x86, x86_64	1, 2
Vista *	Enterprise	x86, x86_64	1, 2
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86, x86_64	2, 3

\* Service Pack 0 - No Disaster Recovery

LINUX			
Version	Edition	Proc	Service Pack
RHEL 5		x86, x86_64	1, 2, 3, 4, 5
RHEL 4	AS, ES, WS	x86, x86_64	5, 6, 7, 8
SLES 11		x86, x86_64	1
SLES 10		x86, x86_64	1, 2, 3
Ubuntu 9	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 10	Desktop and Server Edition	x86, x86_64	4

APPLICATION SUPPORT			
Version	Edition	Proc	Service Pack
Exchange	2003		2
Exchange	2007		1, 2, 3
Exchange	2010		1
SQL	2005		1, 2, 3, 4
SQL	2008		R2
Sharepoint	2010		
SBS	2011		

The operating systems listed below have been certified by Barracuda Networks to be compatible with Yosemite Server Backup. Yosemite Server Backup is designed using standard operating system facilities and has been observed to be compatible with a number of a much more comprehensive list of Operating Systems than have been officially certified. If your operating system distribution or version is not listed here, we recommend that you use our FREE evaluation to test Yosemite Server Backup in your environment.

### Version 8.8

#### System Requirements

- 512 MB RAM required (1024 MB RAM recommended) above operating system and application requirements
- 400 MB hard disk space required (typical installation)
- Internet Explorer 6 or higher required for all Windows installations
- At least 20GB hard disk space recommended on the machine that will serve as the Yosemite Server Backup master server for the Yosemite Server Backup Catalog.

Supports all major storage hardware technologies and requires at least one storage media drive and/or library and the appropriate controller card.

WINDOWS			
Version	Edition	Proc	Service Pack
Windows 7	Home Premium	x86, x86_64	-
Windows 7	Professional	x86, x86_64	-
Windows 7	Ultimate	x86, x86_64	-
Server 2008	Foundation	x86, x86_64	2, R2
Server 2008	Standard	x86, x86_64	2, R2
Server 2008	Enterprise	x86, x86_64	2, R2
Server 2008	Datacenter	x86, x86_64	2, R2
Server 2008	Web	x86, x86_64	2, R2
Server 2008	Storage Server	x86, x86_64	2, R2
Server 2008	SBS	x86_64	2, R2
Server 2008	EBS	x86_64	2, R2
Vista *	Basic	x86, x86_64	1, 2
Vista *	Home Premium	x86, x86_64	1, 2
Vista *	Business	x86, x86_64	1, 2
Vista *	Ultimate	x86, x86_64	1, 2
Vista *	Enterprise	x86, x86_64	1, 2
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86, x86_64	1, 2, 3

\* Service Pack 0 - No Disaster Recovery

LINUX			
Version	Edition	Proc	Service Pack
RHEL 5		x86, x86_64	1, 2, 3, 4, 5
RHEL 4	AS, ES, WS	x86, x86_64	5, 6, 7, 8
SLES 11		x86, x86_64	
SLES 10		x86, x86_64	1, 2
Ubuntu 8	Desktop and Server Edition	x86, x86_64	04, 10
Ubuntu 9	Desktop and Server Edition	x86, x86_64	04, 10

APPLICATION SUPPORT			
Version	Edition	Proc	Service Pack
Exchange	2003		2
Exchange	2007		1
SQL	2000		4
SQL	2005		1, 2, 3
SQL	2008		



# Barracuda Yosemite Server Backup

## OS Support Guide



The operating systems listed below have been certified by Barracuda Networks to be compatible with Yosemite Server Backup. Yosemite Server Backup is designed using standard operating system facilities and has been observed to be compatible with a number of a much more comprehensive list of Operating Systems than have been officially certified. If your operating system distribution or version is not listed here, we recommend that you use our FREE evaluation to test Yosemite Server Backup in your environment.

### Version 8.7

#### System Requirements

- 512 MB RAM required (1024 MB RAM recommended) above operating system and application requirements
- 400 MB hard disk space required (typical installation)
- Internet Explorer 6 or higher required for all Windows installations
- At least 20GB hard disk space recommended on the machine that will serve as the Yosemite Server Backup master server for the Yosemite Server Backup Catalog.

Supports all major storage hardware technologies and requires at least one storage media drive and/or library and the appropriate controller card.

WINDOWS			
Version	Edition	Proc	Service Pack
Server 2008	Foundation	x86, x86_64	1
Server 2008	Standard	x86, x86_64	1
Server 2008	Enterprise	x86, x86_64	1
Server 2008	Datacenter	x86, x86_64	1
Server 2008	Web	x86, x86_64	1
Server 2008	Storage Server	x86, x86_64	1
Vista *	Basic	x86, x86_64	1
Vista *	Home Premium	x86, x86_64	1
Vista *	Business	x86, x86_64	1
Vista *	Ultimate	x86, x86_64	1
Vista *	Enterprise	x86, x86_64	1
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86, x86_64	1, 2, 3
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86, x86_64	1, 2, 3

\* Service Pack 0 - No Disaster Recovery

LINUX			
Version	Edition	Proc	Service Pack
RHEL 5.1		x86, x86_64	1, 2
RHEL 5 *		x86, x86_64	1, 2
RHEL 4	AS, ES, WS	x86, x86_64	1, 2, 3, 5, 6
SLES 10		x86, x86_64	1, 2
SLES 9		x86, x86_64	2, 3, 4
Ubuntu 8.04	Desktop and Server Edition	x86, x86_64	
Ubuntu 7.04,10	Desktop and Server Edition	x86, x86_64	
Ubuntu 6.10	Desktop and Server Edition	x86, x86_64	

APPLICATION SUPPORT			
Version	Edition	Proc	Service Pack
Exchange	5.5	4	2
Exchange	2000	3	1
Exchange	2003	2	4
Exchange	2007	1	1, 2, 3
SQL	7	4	
SQL	2000	4	
SQL	2005	1,2	

NETWARE			
Version	Edition	Proc	Service Pack
6.5	N/A	x86	3, 4a, 5
6.5	SBS	x86	3, 4a, 5
6	N/A	x86	4, 5
6	SBS	x86	4, 5

# Barracuda Yosemite Server Backup

## OS Support Guide



The operating systems listed below have been certified by Barracuda Networks to be compatible with Yosemite Server Backup. Yosemite Server Backup is designed using standard operating system facilities and has been observed to be compatible with a number of a much more comprehensive list of Operating Systems than have been officially certified. If your operating system distribution or version is not listed here, we recommend that you use our FREE evaluation to test Yosemite Server Backup in your environment.

### Version 8.5

#### System Requirements

- 512 MB RAM required (1024 MB RAM recommended) above operating system and application requirements
- 400 MB hard disk space required (typical installation)
- Internet Explorer 6 or higher required for all Windows installations
- At least 20GB hard disk space recommended on the machine that will serve as the Yosemite Server Backup master server for the Yosemite Server Backup Catalog.

Supports all major storage hardware technologies and requires at least one storage media drive and/or library and the appropriate controller card.

WINDOWS			
Version	Edition	Proc	Service Pack
Vista (files only)	Basic	x86, x86_64	
Vista (files only)	Home Premium	x86, x86_64	
Vista (files only)	Business	x86, x86_64	
Vista (files only)	Ultimate	x86, x86_64	
Vista (files only)	Enterprise	x86, x86_64	
Server 2003	Standard	x86, x86_64	1, R2 SP2
Server 2003	Enterprise	x86, x86_64	1, R2 SP2
Server 2003	SBS	x86	1, R2 SP2
Server 2003	Storage Server	x86, x86_64	1, R2 SP2
XP	Professional	x86	1, 2
XP	Professional	x86_64	1, SP2
2000	Server	x86	4
2000	Advanced Server	x86	4
2000	SBS	x86	4
2000	Professional	x86	4

\* Service Pack 0 - No Disaster Recovery

APPLICATION SUPPORT		
Application	Version	Service Pack
Exchange	5.5	4
Exchange	2000	3
Exchange	2003	2
Exchange	2007	
SQL	7	4
SQL	2000	4
SQL	2005	1
MS Data Protection Manager	1.0	

LINUX			
Version	Edition	Proc	Service Pack
RHEL 5 *	AS, ES, WS	x86, x86_64	
RHEL 4	AS, ES, WS	x86, x86_64	1, 2, 3
RHEL 3	AS, ES, WS	x86	1, 2, 3, 4, 5, 6, 7, 8
SLES 10		x86, x86_64	SP1
SLES 9		x86, x86_64	2, 3
Ubuntu 7.04	Desktop and Server Edition	x86, x86_64	
Ubuntu 6.10	Desktop and Server Edition	x86, x86_64	
Ubuntu 6.10	Desktop and Server Edition	x86, x86_64	

\* except Media Servers for tape, optical devices, and loaders

NETWARE			
Version	Edition	Proc	Service Pack
6.5	N/A	x86	3, 4a, 5
6.5	SBS	x86	3, 4a, 5
6	N/A	x86	4, 5
6	SBS	x86	4, 5

- Novell doesn't support SATA tape devices  
 - Except Media Servers for tape, optical devices, and loaders only in case of release kernel.

SUPPORTED FILE SYSTEMS	
OS	File Systems
Windows	NTFS, FAT16, FAT32, CIFS
Linux (Red Hat, SuSe)	ext3, ext2, ReiserFS, VFAT, XFS, JFS
Novell NetWare	NetWare FS (classic volumes) supported namespaces: MAC, NFS, OS/2 (LONG), DOS. NSS (Netware NSS volumes)

# Barracuda Yosemite Server Backup

## OS Support Guide



The operating systems listed below have been certified by Barracuda Networks to be compatible with Yosemite Server Backup. Yosemite Server Backup is designed using standard operating system facilities and has been observed to be compatible with a number of a much more comprehensive list of Operating Systems than have been officially certified. If your operating system distribution or version is not listed here, we recommend that you use our FREE evaluation to test Yosemite Server Backup in your environment.

### Version 8.1

#### System Requirements

- 512 MB RAM required (1024 MB RAM recommended) above operating system and application requirements
- 400 MB hard disk space required (typical installation)
- Internet Explorer 6 or higher required for all Windows installations
- At least 20GB hard disk space recommended on the machine that will serve as the Yosemite Server Backup master server for the Yosemite Server Backup Catalog.

Supports all major storage hardware technologies and requires at least one storage media drive and/or library and the appropriate controller card.

WINDOWS			
Version	Edition	Proc	Service Pack
Server 2003	Standard	x86, x86_64	1, R2
Server 2003	Enterprise	x86, x86_64	1, R2
Server 2003	SBS	x86	1
Server 2003	Storage Server	x86, x86_64	1, R2
XP	Professional	x86	1, 2
XP	Professional	x86_64	1
2000	Server	x86	4
2000	Advanced Server	x86	4
2000	SBS	x86	4
2000	Professional	x86	4
NT	Server	x86	6a
NT	Workstation	x86	6a

LINUX			
Version	Edition	Proc	Service Pack
RHEL 4	AS, ES, WS	x86, x86_64	1, 2, 3
RHEL 3	AS, ES, WS	x86	1, 2, 3, 4, 5, 6, 7, 8
SLES 10		x86, x86_64	
SLES 9		x86, x86_64	2, 3
SLES 8		x86	4

NETWARE			
Version	Edition	Proc	Service Pack
6.5	N/A	x86	3, 4a, 5
6.5	SBS	x86	3, 4a, 5
6	N/A	x86	4, 5
6	SBS	x86	4, 5
5.1	N/A	x86	8

APPLICATION SUPPORT		
Application	Version	Service Pack
Exchange	5.5	4
Exchange	2000	3
Exchange	2003	2
SQL	7	4
SQL	2000	4
SQL	2005	1
MS Data Protection Manager	1.0	
Oracle	9i	2
Oracle	10g	2

SUPPORTED FILE SYSTEMS	
OS	File Systems
Windows	NTFS, FAT16, FAT32, CIFS
Linux (Red Hat, SuSe)	ext3, ext2, ReiserFS, VFAT, XFS, JFS
Novell NetWare	NetWare FS (classic volumes) supported namespaces: MAC, NFS, OS/2 (LONG), DOS. NSS (Netware NSS volumes)